



K 3

The "K3" high-pressure cleaner is ideal for occasional use and normal dirt, e.g. on bicycles, garden fences, motorbikes, etc.



1 Quick Connect

- The high-pressure hose is easy to manoeuvre, clicking quickly in and out of the device and spray gun. This saves time and effort.

3 Hooked on tidiness

- Generous cable hook for the tidy storage of the cable directly on the device.

2 Clean tank solution

- The practical detergent tank simplifies the application of detergents.



K 3

- Tidy storage: the hose hook on the handle and cable hook on the side ensure optimum tidiness
- Spray lance storage
- Detergent tank

Technical data

Order no.	1.601-812.0	
EAN code	4039784819320	
Pressure	bar / MPa	20-120 / 2-12
Flow rate	l/h	380
Max. inlet temperature	°C	bis zu 40
Connection load	kW	1.6
Weight without accessories	kg	6.5
Dimensions (L x W x H)	mm	275 x 279 x 803
Current type	V / Hz	220-240 / 50-60

Equipment

High-pressure gun	Standard Quick Connect	
Vario Power Jet	■	
Dirt blaster	■	
High-pressure hose	m	6
Quick Connect on the side of the device	■	
Detergent application via	Tank	
Integrated water filter	■	
A3/4" garden hose connector adapter	■	
■ Included in the scope of supply.		

ACCESSORIES FOR K 3

1.601-812.0



		Order no.					Price	Description	
Spray lances									
Telescopic spray lance	1	2.642-347.0						Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	<input type="checkbox"/>
Splash guard	2	2.642-706.0						Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	<input type="checkbox"/>
Angled spray lance	3	2.638-817.0						Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	<input type="checkbox"/>
1-step lance extension	4	2.643-240.0						Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	<input type="checkbox"/>
VP 120 vario power jet Full Control for K 2-K 3	5	2.642-724.0						Vario power spray lance for pressure washers in classes K 2 to K 3. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	<input type="checkbox"/>
DB 120 dirt blaster Full Control for K 2-K 3	6	2.642-727.0						Dirt blaster with powerful entry rotary nozzle for Kärcher pressure washers in classes K 2 and K 3. For particularly stubborn dirt like that on mossy or weathered surfaces.	<input type="checkbox"/>
3-step lance extension	7	2.639-722.0						3-stage lance extension set with four aluminium lances for difficult to reach areas. Variable extension to 90 cm, 1.30 m and 1.70 m.	<input type="checkbox"/>
Splash guard	8	2.640-916.0						Splash guard for dirt blasterProtects against splash back when cleaning corners and edges. Fits all Kärcher dirt blasters (except 4.763-184).	<input type="checkbox"/>
VP 145, Vario Power Jet for K 3-K 4	9	2.643-235.0						Vario-Power spray lance: spray lance with infinitely variable pressure control from low-pressure detergent jet to high-pressure jet.	<input type="checkbox"/>
DB 145, Dirt Blaster for K 2-K 4	10	2.643-244.0						Dirt blaster with powerful rotor nozzle (rotating pencil jet) ideal for removing stubborn dirt. Ideal for moss covered or weathered surfaces.	<input type="checkbox"/>
Miscellaneous									
G 160 Q, Quick Connect Trigger Gun	11	2.642-172.0						The premium trigger gun fitted with Quick Connect and soft grip inserts guarantees a high level of comfort for cleaning.	<input checked="" type="checkbox"/>
Water filter	12	4.730-059.0						Water filter protects pressure washer pumps against dirt particles from dirty water.	<input type="checkbox"/>
O-ring set	13	2.640-729.0						Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	<input type="checkbox"/>
Water filter	14	2.642-794.0						Water filter to protect the high-pressure pump against dirt particles from contaminated water.	<input type="checkbox"/>
Surface cleaners									
PS 40 power scrubber surface cleaner	15	2.643-245.0						PS 40 power scrubber with three integrated high-pressure nozzles. Powerful cleaning action removes stubborn dirt from surfaces quickly and easily. Ideal for stairs and edges.	<input type="checkbox"/>
Replacement nozzle for T-Racer	16	2.640-727.0						High-quality, grey replacement nozzles for easy replacement of T-Racer nozzles. Suitable for replacing nozzles for the K2-K5 device classes.	<input type="checkbox"/>
Replacement nozzles accessories	17	2.643-338.0						High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K 2 to K 5.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR K 3 1.601-812.0



		Order no.					Price	Description	
Replacement nozzles accessories for T 350	18	2.643-335.0						The high-quality replacement nozzles guarantee easy replacement of nozzles and are suitable for the T-Racer T 300 / T 350 surface cleaners for the pressure washer unit classes K 2 to K 7.	<input type="checkbox"/>
T-Racer T 250 Surface Cleaner	19	2.642-194.0						T 250 T-Racer for spray-free surface cleaning. With extra handle for cleaning vertical surfaces. The accessories are suitable for Kärcher Home&Garden pressure washers, classes K 2 - K 7.	<input type="checkbox"/>
Special applications									
PC 15 pipe cleaning kit	20	2.637-767.0						Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
PC 7.5 pipe cleaning kit	21	2.637-729.0						Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
Vario joint	22	2.640-733.0						Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	<input type="checkbox"/>
Sand and wet-blasting kit	23	2.638-792.0						Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>
Organiser	24	2.641-630.0						Kärcher organiser, the practical wall-mounted storage system for Kärcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	<input type="checkbox"/>
Pipe cleaning kit 7.5 m	25	2.642-790.0						Pipe cleaning kit for clearing blockages in pipes, drains, downpipes, etc.	<input type="checkbox"/>
SH 3 suction hose	26	2.643-101.0						3 metre suction hose for drawing water from alternative sources such as water butts and barrels.	<input type="checkbox"/>
FJ 3 foam jet	27	2.643-150.0						FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>
Brushes									
WB 60 soft surface wash brush	28	2.643-233.0						Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.	<input type="checkbox"/>
Wheel washing brush	29	2.643-234.0						Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	<input type="checkbox"/>
Soft universal brush	30	2.640-589.0						Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.	<input type="checkbox"/>
Soft surface brush	31	2.640-590.0						Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.	<input type="checkbox"/>
Rotary wash brush with joint	32	2.640-907.0						Rotating washing brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.	<input type="checkbox"/>
WB 100 rotating wash brush	33	2.643-236.0						Rotating wash brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.	<input type="checkbox"/>
Soft Wash Brush WB 50	34	2.643-246.0						Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.	<input type="checkbox"/>
WB 150 power brush	35	2.643-237.0						WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR K 3

1.601-812.0

KÄRCHER



		Order no.					Price	Description	
WB 120	36	2.644-060.0						Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	<input type="checkbox"/>
High-pressure replacement hose: With anti-twist system and Quick Connect system									
H 10 Q Flex PremiumFlex anti twist	37	2.643-585.0						Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.	<input type="checkbox"/>
High-Pressure replacement hose kit system from 1992									
Extension hose adapter kit	38	2.643-037.0						Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	<input type="checkbox"/>
High-pressure replacement hose: system from 2009 with Quick Connect system									
H 9 Q high-pressure hose Quick Connect	39	2.641-721.0						9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	<input type="checkbox"/>
High-pressure extension hose: System for devices with Quick Connect system									
XH 10 Q Quick Connect extension hose	40	2.641-710.0						High-pressure hose extension for greater flexibility. 10 m robust DN 8 quality hose for excellent durability. For K 3 to K 7 devices from 2008 or later with Quick Connect adapter.	<input type="checkbox"/>
XH 6 Q extension hose Quick Connect	41	2.641-709.0						High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 3 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>
XH 10 QR extension hose Quick Connect rubber	42	2.641-708.0						High-pressure extension rubber hose for greater flexibility. 10 m high-quality hose, steel reinforced for durability. For K 3 to K 7 series from 2008 with Quick Connect adapter. Connect between trigger gun and high-pressure hose.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR K 3 1.601-812.0

KÄRCHER



		Order no.					Price	Description	
Hose connection systems									
Universal hose coupling Plus	1	2.645-193.0						Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	2	2.645-194.0						Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector with Aqua Stop	3	2.645-192.0						Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.	<input type="checkbox"/>
Universal Hose Connector	4	2.645-191.0						Ergonomically designed universal hose coupling for convenient handling.	<input type="checkbox"/>
Hoses									
Hose set for pressure washers	5	2.645-156.0						Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex® hose (3/4"), G3/4 tap adaptor, 1 x universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	6	2.645-258.0						Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps.	<input type="checkbox"/>
PrimoFlex® hose - 1/2" 20 m	7	2.645-138.0						The PrimoFlex® (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	8	2.645-142.0						PrimoFlex® quality garden hose (3/4"). 25-m long. With pressure-resistant reinforcement mesh. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose storage and hose trolley									
Premium Hose Reel HR 7.315 Kit 5/8"	9	2.645-165.0						Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	10	2.645-167.0						Compact hose trolley with height adjustable handle, angled hose connector, free-wheeling crank, and innovative folding function for space-saving stowage. Fully assembled.	<input type="checkbox"/>
Premium Hose Reel HR 7.315 Kit 1/2"	11	2.645-164.0						Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.